

Free Executive Summary

Review of the HIVNET 012 Perinatal HIV Prevention Study



Committee on Reviewing the HIVNET 012 Perinatal HIV Prevention Study, Board on Population Health and Public Health Practice

ISBN: 0-309-09651-0, 150 pages, 6 x 9, paperback (2005)

This free executive summary is provided by the National Academies as part of our mission to educate the world on issues of science, engineering, and health. If you are interested in reading the full book, please visit us online at <http://www.nap.edu/catalog/11264.html>. You may browse and search the full, authoritative version for free; you may also purchase a print or electronic version of the book. If you have questions or just want more information about the books published by the National Academies Press, please contact our customer service department toll-free at 888-624-8373.

This executive summary plus thousands more available at www.nap.edu.

Copyright 2004 © National Academy of Sciences. Permission is granted for this material to be shared for noncommercial, educational purposes, provided that this notice appears on the reproduced materials, the Web address of the online, full authoritative version is retained, and copies are not altered. To disseminate otherwise or to republish requires written permission from the National Academies Press.

EXECUTIVE SUMMARY

In November 1997, investigators from Johns Hopkins University and Makerere University in Uganda began the HIVNET 012 clinical trial to evaluate the efficacy and safety of single-dose nevirapine (NVP) and short-course zidovudine (ZDV) regimens for preventing mother-to-child transmission of HIV infection. The trial was initially designed as a randomized, double-blind, placebo-controlled trial, but the placebo arms were dropped after results from a study in Thailand found short-course zidovudine to be effective in reducing mother-to-child transmission of HIV. Enrollment in the trial was concluded in April 1999. The trial was sponsored by the Division of AIDS (DAIDS) at the National Institute of Allergy and Infectious Diseases (NIAID) of the National Institutes of Health (NIH).

Preliminary trial results were published in the journal *Lancet* in 1999 (Guay et al., 1999). Given the encouraging evidence that single-dose nevirapine reduced the risk of mother-to-child transmission of HIV, Boehringer Ingelheim (BI), the manufacturer of nevirapine, decided to pursue a Food and Drug Administration (FDA) labeling change for the drug using HIVNET 012 as a registrational trial for its application in the United States. The decision to use HIVNET 012 as support for the labeling change made the trial subject to reviews that were conducted in a manner that was far more in-depth than would ordinarily occur for a clinical trial that, like HIVNET 012, was not originally intended to generate data to support a submission to FDA for approval of a new drug or new indication for an old drug.

Following BI's own review of the HIVNET 012 study, DAIDS contracted with the Westat Corporation to conduct a pre-FDA inspection audit in February 2002. Westat's report cited some deficiencies in the conduct of the trial, which in turn prompted a comprehensive and lengthy remonitoring effort by DAIDS. BI subsequently withdrew its application to the FDA for a supplemental indication for the use of NVP in preventing mother-to-child transmission, stating that the "NIAID and Boehringer Ingelheim review could not be completed within the remaining timeline for FDA action for the supplement" (2002). The investigators, the contract research organization monitoring the study (Family Health International, FHI), and staff of the HIVNET statistical center (SCHARP) responded to the Westat Site Visit Report, providing additional information that explained or resolved some negative audit findings (FHI, 2002; HIVNET 012 Investigators, 2002; SCHARP, 2002a; SCHARP, 2002b). The investigators and FHI also took steps to strengthen study procedures in response to findings with which the investigators concurred (HIVNET 012 Investigators, 2003).

Despite the series of evaluations of and subsequent correspondence about HIVNET 012, no definitive document in the public domain critically and objectively evaluates the study's design, conduct, results, and validity. This has led to uncertainty among public health and medical professionals—as well as those in political circles and the broader HIV-1-affected communities—about whether NVP is efficacious and safe as a regimen for prevention of mother-to-child transmission of HIV (Cohen, 2004).

In August 2004, in response to a request from NIH, the Institute of Medicine (IOM) convened a committee to review the HIVNET 012 trial and provide an independent assessment of the validity of the study's results. The committee's charge was as follows:

“The IOM committee will address the methodological and data interpretation questions noted below related to protocol design, data collection, record keeping, quality control, and analysis. The committee will assess the impact of these issues on the validity of the overall findings and conclusions of the trial. The IOM committee is charged with addressing the following questions related to HIVNET 012:

1. Was the protocol design appropriate?
2. Does the fact that, in many cases, there were no informed consent forms from the fathers cause enough significant concern to invalidate the conclusions?
3. Are there results available (published or unpublished) of assays of drug levels and should consideration be given to what, if any, impact, they might have on the conclusions?”
4. Was the protocol followed sufficiently to conclude that the data are sustainable?
5. Was the quality control sufficient to uphold the conclusions?
6. A certain number of documents were destroyed by a natural disaster. Is this a significant deterrent to drawing conclusions?
7. Can the integrity of the data be sustained in view of the deficiencies of the data collection, and the consistency of its recording?
8. Are the conclusions supportable by the data?
9. Is there any reason to suggest the need to retract the publications or to revise the conclusions?”

The IOM Committee on Reviewing the HIVNET 12 Perinatal HIV Prevention Study met three times and held numerous meetings by conference call between September 2004 and March 2005, and its work led to the present report. Early in its deliberations, the committee concluded that the validity of the trial's findings ultimately rests on the following elements: (1) the integrity of the study design, treatment assignment, and treatment adherence, addressed in Chapters 2 and 3; (2) the completeness and accuracy of efficacy and safety data, addressed in Chapter 4; and (3) the study's adherence to ethical principles for conducting clinical research, addressed in Chapter 5.

The committee reviewed relevant materials provided by NIH, by the investigators, previous auditors, and from a variety of other sources. In addition, the committee obtained copies of a subset of primary source documents from Uganda, as well as information from the study database maintained for HIVNET 012 by the Statistical Center for HIV/AIDS Research and Prevention (SCHARP). After its review of these materials, the committee reached its findings about the key aspects of study design and implementation. In its work, the committee was aware of one important aspect of the broader context in which the HIVNET 012 study occurred and was audited: the procedural guidelines and standards for clinical research are always evolving, and the Westat site visit occurred more than 4 years after the initiation of the HIVNET 012 trial. This report describing the committee's analysis and findings contains six chapters and three appendixes.

In Chapter 1, the report provides background information about prevention of mother-to-child transmission of HIV in Africa, a concise summary of the study milestones, and the committee's approach to its charge. Chapter 2 provides an overview of the published findings of the HIVNET 012 trial.

Chapter 3 discusses the committee's assessment of the appropriateness of the HIVNET 012 study design (choice of site and treatment regimens, randomization, and statistical methods) and specific aspects of its implementation (randomization, drug management and participant adherence to study regimens). Overall the committee found that the protocol designs for HIVNET 012—both before and after the discontinuation of the placebo arms—were appropriate. The committee also made the following specific findings:

The committee finds that Uganda was a reasonable setting for evaluation of short-course regimens for preventing mother-to-child transmission of HIV-1. Moreover, the regimens chosen for study were reasonable in the context of knowledge about prevention of mother-to-child transmission at that time. The decision to stop the placebo arms of the trial and continue with the originally designed active arms was reviewed and approved appropriately.¹

The committee finds that the inclusion and exclusion criteria employed in HIVNET 012 were reasonable.

The committee finds that the designs of the original and modified randomization procedures were scientifically sound and appropriate for the research setting.

The committee finds that the HIVNET 012 randomization procedures were implemented with a high level of accuracy, achieving the scientific goal of creating two comparable treatment groups.

The committee finds that the original and revised sample size targets for the HIVNET 012 trial were sufficient to achieve the study goals.

The statistical methods employed in HIVNET 012 and described in the publications were appropriate. The results obtained from the analyses of HIV infection and HIV-free survival² were properly interpreted by the study authors. Additional analyses of efficacy in the Results and Discussion sections of Guay et al. (1999) were presented in a balanced manner and with appropriate qualifications.

The committee finds that the HIVNET 012 investigators used appropriate practices for packaging and distributing study drugs, so that the assigned drug was consistently provided to the appropriate mothers and their infants. Evidence from cord blood specimens indicates that participants achieved a high level of adherence to the NVP regimen. Though no direct evidence is available on blood levels of ZDV, the maternal reports of high levels of adherence to the treatment regimen, the fact that hospital personnel administered a substantial fraction of the ZDV regimen, and the absence of detectable levels of NVP in the blood of participants in the ZDV arm suggest that high levels of adherence were also

¹ The trial was continued as a two-arm trial comparing NVP to ZDV and designed to select NVP as the preferred regimen if the difference in rates of maternal-to-child transmission of HIV between the NVP and ZDV arms was 3% or less.

² HIV-1 free survival refers to absence of HIV-1 infection or death from any cause.

achieved in the ZDV arm. The high level of adherence to study regimens indicates that the treatment arms formed an appropriate basis for assessing the efficacy and safety of the study regimens.

In Chapter 4, the committee provides its assessment of the validity of study data related to the safety and efficacy endpoints. The committee reviewed the definitions of the safety and efficacy endpoints and their implementation. The committee also obtained copies of primary source documents and case report forms from the study site in Uganda for a sample of mother/infant pairs and compared those documents with HIVNET 012 database information provided by SCHARP. Using these data, the committee conducted its own evaluation of the accuracy, completeness, and timeliness in reporting of adverse events and serious adverse events, survival status, and HIV infection status of infants in the sample. Based on its detailed examination of study data, the committee found no evidence of misrepresentation of the study results. Finally, the committee reviewed other aspects of safety such as incidence of hyperbilirubinemia. The committee's findings include:

The committee finds that the testing schedule and assays used in HIVNET 012 to diagnose HIV-1 infection in infants were appropriate. Use of HIV-1 positivity and HIV-1-free survival at 6-8 weeks, 14-16 weeks, and 18 months of age as the primary efficacy endpoints also was appropriate.

The committee finds that the definitions of adverse events and serious adverse events specified in the protocol were reasonable. The committee finds that the follow-up periods and schedule of evaluations established for mothers and infants participating in HIVNET 012 were reasonable and were sufficient to capture relevant information about adverse events.

The committee finds no issues of concern regarding the reliability and validity of laboratory test results obtained in HIVNET 012, or the completeness and accuracy of study laboratory records.

The committee finds that the HIVNET 012 investigators interpreted definitions contained in the 1996 and 1997 Code of Federal Regulations and the protocol so as to use hospitalization as the primary, but not sole, determinant of seriousness for capture of serious adverse events. Although this well may have been a practical and appropriate interpretation of the definition of serious adverse events, it means that the safety results, while meaningful in a Ugandan context and other similar settings, may not be entirely generalizable to settings in which the definition of seriousness is interpreted differently and where thresholds for hospitalization vary.

The committee finds that participation of HIVNET 012 infants in the vitamin A study had no impact on the HIVNET 012 efficacy endpoints or AEs, and finds no evidence that such participation might have biased the comparative SAE rates in HIVNET 012 in favor of NVP.

The committee finds that the record keeping system implemented in HIVNET 012 was reasonable and appropriate. While there were some documentation and procedural deficiencies reported by auditors, none appeared to have affected the

results of the study. There is no evidence that flooding or any other natural phenomenon significantly impacted the completeness of study records.

In its review of HIVNET 012 records, the committee finds no evidence of and only a very limited opportunity for either unreported deaths or erroneous reports of deaths.

Source document information regarding survival status was accurately transferred to the SCHARP database in a timely manner.

The committee finds that in the subset of 49 infants whose charts it reviewed, PCR and EIA information in the source documents used to assess HIV-1 infection status was accurately transferred to the SCHARP database, and done so in a timely manner so that all results available at the time of the data freeze for study publications were included in the analyses.

The committee finds that infant deaths, hospitalizations and visits where an infant experienced a serious adverse event (SAE) were accurately reported to the SCHARP database, although, in some instances, not all concomitant SAEs were reported. The committee also finds that some (non-serious) adverse events noted in the source documents were not reported on the case report forms. The underreporting of some (non-serious) AEs and some concomitant SAEs that accompanied a reported SAE may limit the generalizability of absolute adverse event rates and counts to other settings. However, the committee finds no reason to believe that the rates of unreported adverse events varied by treatment group, suggesting that the comparative safety analyses reported by the HIVNET investigators are valid.

The committee concurs with the HIVNET 012 investigators' determination that 1.2 mg/dl, as suggested in the April 8, 2003 IND³ Safety Report, was not an appropriate upper limit of normal value for bilirubin in newborns, whose bilirubin levels change rapidly over the first few days after birth and are normally substantially higher than those in adults. The committee also concurs with DAIDS' decision to withdraw its initial IND safety report finding of excess hyperbilirubinemia because it was derived from the application of an incorrect criterion to study data.

The committee finds no evidence in HIVNET 012 of an increased risk of clinically significant hyperbilirubinemia in the infants who received NVP compared to the infants who received ZDV.

In Chapter 5, the committee assesses the design and conduct of the study from the perspective of protection of human subjects, including HIVNET 012 compliance with requirements for independent IRB⁴ oversight, the inclusion of placebo arms in the original trial design, the circumstances that made the placebo control no longer appropriate, and the informed-consent process. The Westat site visit report stated that HIVNET 012 investigators were found to lack training in and awareness of Good Clinical Practice Guidelines (Chamberlin et al., 2002). In this chapter, the committee explains that the HIVNET 012 trial was not subject to these "GCP"

³ IND, Investigational New Drug application.

⁴ IRB, Institutional Review Board.

Guidelines, which are a voluntary set of international guidelines that inform but do not constitute the FDA regulations to which HIVNET 012 was subject (ICH, 1996). Further, the committee explains that the FDA regulations that did apply to HIVNET 012 were in some important respects more stringent than the international GCP Guidelines. Finally, the committee distinguishes between compliance with the voluntary international “Good Clinical Practice” Guidelines, and actual good clinical practice, which refers to good clinical management and medical care in the course of a trial. The committee also noted that conducting good, ethical clinical research does not solely consist of following procedures, but rather consists of ensuring independent oversight, a reasonable balance between risks and benefits, assurance that subjects give free and informed consent, and that subjects are protected. The committee’s findings include:

The committee finds that HIVNET 012 was conducted under an IND as a matter of DAIDS policy, and that the study was not originally intended to provide data for later submission to FDA to support a labeling change for NVP, an already approved drug. The decision by Boehringer Ingelheim to use the findings to support such a submission led to evaluating the documentation of regulatory compliance by the trial in light of a standard that did not apply when the trial began.

The committee finds that the HIVNET 012 investigators met their ethical obligation to design and conduct the study in accordance with international standards for the ethical conduct of research and ethical management of patient care. The HIVNET 012 investigators also complied with their legal obligation to design and conduct the study in accordance with FDA regulations and under the oversight of IRBs in both Uganda and the United States. The HIVNET 012 trial was not required to comply with specific procedural rules outlined in the voluntary “Good Clinical Practice” (GCP) guidelines published by the International Conference on Harmonisation, and an ethical evaluation of HIVNET 012 should not rest directly or indirectly on the degree to which it conformed to GCP Guidelines, but rather on the degree to which it conformed to the FDA, IRB, and general medical ethics standards to which it was subject. The validity of the study’s findings is sustained by the fact that the trial was conducted in accordance with FDA requirements and met international standards for the ethical management of clinical trials.

The committee finds no evidence that the definitions used for adverse events and serious adverse events in HIVNET 012 placed human subjects at increased risk.

The committee finds no evidence that the failures identified by OHRP with respect to ARC’s⁵ continuing review procedures resulted in a loss of information that would, had it been obtained at the time, have altered the risk-benefit balance in a way that would have triggered either a change in the protocol or a change in the information given to human subjects.

The committee finds that the initial design of the HIVNET 012 trial, which incorporated two placebo arms, was properly reviewed and approved by the

⁵ ARC (AIDS Research Committee) is the Ugandan Institutional Review Board.

relevant Johns Hopkins and Ugandan IRBs, and that justifications for the use of placebo arms were adequately presented.

The committee finds that the HIVNET 012 trial was promptly and properly reevaluated and the placebo arms discontinued when new data emerged from other studies.

The committee finds that the initial study design incorporated all relevant protections relating to the need for voluntary informed consent, the acceptability of placebo control, the discontinuation of placebo control, and overall compliance with IRB reviews.

The committee finds that the investigators correctly identified appropriate guardians to consent to extended five year follow up in situations where the original consenting parent had died, but that the investigators failed to do this in situations where the consenting parent died while the child was still enrolled in the original, eighteen-month follow-up.

The committee finds that requesting additional consent from the fathers before enrolling the pregnant women or their infants in the study was not necessarily required by federal regulations but was required per DAIDS policy and was therefore incorporated into the IRB-approved protocol.

The committee finds that the failure to obtain such additional paternal consent was based on the practical unavailability of the fathers and the ethical constraints that prevented the research staff from contacting fathers in the absence of the mother's support and consent.

The committee finds that while auditors reported procedural lapses by the Ugandan IRB, there was evidence of rapid and appropriate response by the IRB in approving modification of the design of HIVNET 012 and discontinuation of placebo arms. There was also no evidence that a participant signed the wrong version of the consent form.

Despite some lapses in documentation, the committee finds no evidence that study subjects failed to give voluntary informed consent.

The committee finds that HIVNET 012 met the substantive standards for ethical conduct of research and was implemented in substantial compliance with regulations governing protection of human subjects, especially independent review of risks and benefits to them.

The committee finds that there is no reason based in ethical concerns about the design or implementation of the study that would justify excluding its findings from use in scientific and policy deliberations.

Chapter 6 is a concluding narrative that provides a discussion of the committee's response to each item of the charge, based on the findings of earlier chapters.

Based on its review, the committee finds no reason to retract the publications or alter the conclusions of the HIVNET 012 study. The committee concludes that data

and findings presented in Guay et al. (1999) and Jackson et al. (2003) are sound, presented in a balanced manner, and can be relied upon for scientific and policy-making purposes.

REFERENCE LIST

- Boehringer Ingelheim. 2002. *Boehringer Ingelheim Comments on HIVNET 012 Trial*. [Web Page] Available at <http://www.boehringer-ingelheim.com/corporate/asp/news/ndetail.asp?ID+224>. Accessed June 24, 2004.
- Chamberlin J, Gustavson SA, Hensley M, Lander S. 2002. Site Visit Report, Kampala, Uganda, February 18-28, 2002. Westat Corporation, MD.
- Cohen J. 2004. HIV transmission. Allegations raise fears of backlash against AIDS prevention strategy. *Science* 306(5705):2168-9.
- FHI (Family Health International). 2002. Response to DAIDS by FHI on Westat Inspection Report for HIVNET 012 - Kampala, Uganda - Conducted February 18-28, 2002.
- Guay LA, Musoke P, Fleming T, Bagenda D, Allen M, Nakabiito C, Sherman J, Bakaki P, Ducar C, Deseyve M, Emel L, Mirochnick M, Fowler MG, Mofenson L, Miotti P, Dransfield K, Bray D, Mmiro F, Jackson JB. 1999. Intrapartum and neonatal single-dose nevirapine compared with zidovudine for prevention of mother-to-child transmission of HIV-1 in Kampala, Uganda: HIVNET 012 randomised trial. *Lancet* 354(9181):795-802.
- HIVNET 012 Investigators. 2003. MUJHU Quality Management Plan.
- HIVNET 012 Investigators. 2002. Summary Sheet of Major Inaccuracies in the Westat Report.
- ICH (International Conference on Harmonization). 1996. Guideline for Good Clinical Practice. Available at http://www.ich.org/MediaServer.jsr?@_ID=482&@_MODE=GLB. Accessed March 14, 2005.
- Jackson JB, Musoke P, Fleming T, Guay LA, Bagenda D, Allen M, Nakabiito C, Sherman J, Bakaki P, Owor M, Ducar C, Deseyve M, Mwatha A, Emel L, Duefield C, Mirochnick M, Fowler MG, Mofenson L, Miotti P, Gigliotti M, Bray D, Mmiro F. 2003. Intrapartum and neonatal single-dose nevirapine compared with zidovudine for prevention of mother-to-child transmission of HIV-1 in Kampala, Uganda: 18-month follow-up of the HIVNET 012 randomised trial. *Lancet* 362(9387):859-68.
- SCHARP (Statistical Center for HIV/AIDS Research & Prevention). 2002a. Response to Westat Site Visit Report. Questions Responding to Major Concerns.
- SCHARP. 2002b. Response to Westat Report.

REVIEW OF THE HIVNET 012 PERINATAL HIV PREVENTION STUDY

Committee on Reviewing the HIVNET 012 Perinatal HIV Prevention Study

Board on Population Health and Public Health Practice

INSTITUTE OF MEDICINE
OF THE NATIONAL ACADEMIES

THE NATIONAL ACADEMIES PRESS
Washington, D.C.
www.nap.edu

THE NATIONAL ACADEMIES PRESS • 500 Fifth Street, NW. • Washington, DC 20001

NOTICE: The project that is the subject of this report was approved by the Governing Board of the National Research Council, whose members are drawn from the councils of the National Academy of Sciences, the National Academy of Engineering, and the Institute of Medicine. The members of the committee responsible for the report were chosen for their special competences and with regard for appropriate balance.

This study was supported by Contract No. N01-OD-4-2139, Task Order No. 146 between the National Academy of Sciences and the National Institutes of Health. Any opinions, findings, conclusions, or recommendations expressed in this publication are those of the author(s) and do not necessarily reflect the view of the organizations or agencies that provided support for this project.

Additional copies of this report are available from the National Academies Press, 500 Fifth Street, NW, Lockbox 285, Washington, DC 20055; (800) 624-6242 or (202) 334-3313 (in the Washington metropolitan area); <http://www.nap.edu>.

For more information about the Institute of Medicine, visit the IOM home page at www.iom.edu.

Copyright 2005 by the National Academy of Sciences. All rights reserved.

Printed in the United States of America.

The serpent has been a symbol of long life, healing, and knowledge among almost all cultures and religions since the beginning of recorded history. The serpent adopted as a logotype by the Institute of Medicine is a relief carving from ancient Greece, now held by the Staatliche Museen in Berlin.

*“Knowing is not enough; we must apply.
Willing is not enough; we must do.”*
—Goethe



INSTITUTE OF MEDICINE
OF THE NATIONAL ACADEMIES

Adviser to the Nation to Improve Health

THE NATIONAL ACADEMIES

Advisers to the Nation on Science, Engineering, and Medicine

The **National Academy of Sciences** is a private, nonprofit, self-perpetuating society of distinguished scholars engaged in scientific and engineering research, dedicated to the furtherance of science and technology and to their use for the general welfare. Upon the authority of the charter granted to it by the Congress in 1863, the Academy has a mandate that requires it to advise the federal government on scientific and technical matters. Dr. Bruce M. Alberts is president of the National Academy of Sciences.

The **National Academy of Engineering** was established in 1964, under the charter of the National Academy of Sciences, as a parallel organization of outstanding engineers. It is autonomous in its administration and in the selection of its members, sharing with the National Academy of Sciences the responsibility for advising the federal government. The National Academy of Engineering also sponsors engineering programs aimed at meeting national needs, encourages education and research, and recognizes the superior achievements of engineers. Dr. Wm. A. Wulf is president of the National Academy of Engineering.

The **Institute of Medicine** was established in 1970 by the National Academy of Sciences to secure the services of eminent members of appropriate professions in the examination of policy matters pertaining to the health of the public. The Institute acts under the responsibility given to the National Academy of Sciences by its congressional charter to be an adviser to the federal government and, upon its own initiative, to identify issues of medical care, research, and education. Dr. Harvey V. Fineberg is president of the Institute of Medicine.

The **National Research Council** was organized by the National Academy of Sciences in 1916 to associate the broad community of science and technology with the Academy's purposes of furthering knowledge and advising the federal government. Functioning in accordance with general policies determined by the Academy, the Council has become the principal operating agency of both the National Academy of Sciences and the National Academy of Engineering in providing services to the government, the public, and the scientific and engineering communities. The Council is administered jointly by both Academies and the Institute of Medicine. Dr. Bruce M. Alberts and Dr. Wm. A. Wulf are chair and vice chair, respectively, of the National Research Council.

www.national-academies.org

COMMITTEE ON REVIEWING THE HIVNET 012 PERINATAL HIV PREVENTION STUDY

- JAMES H. WARE, Ph.D.** (Chair), Dean for Academic Affairs and Frederick Mosteller Professor of Biostatistics at the Harvard School of Public Health, Harvard School of Public Health, Boston, MA
- R. ALTA CHARO, J.D.**, Elizabeth S. Wilson Professor of Professor of Law and Medical Ethics and Associate Dean, School of Law, University of Wisconsin-Madison
- EZRA C. DAVIDSON, Jr., M.D.**, Associate Dean, Primary Care and Professor and Past Chairman, Department of Obstetrics & Gynecology, Charles R. Drew University of Medicine and Science, Los Angeles, CA
- WAFAA EL-SADR, M.D., M.P.H., M.P.A.**, Professor, Department of Epidemiology, Columbia University, Mailman School of Public Health and Chief, Infectious Diseases Division, Harlem Hospital Center, Columbia University, College of Physicians and Surgeons, New York, NY
- MARK W. KLINE, M.D.**, Professor of Pediatrics, Chief of Retrovirology; Director of the AIDS International Training and Research Program; Director of the Baylor-CDC Global AIDS Technical Assistance Project; and Associate Director of the General Clinical Research Center, Baylor College of Medicine, Houston, TX
- STEPHEN W. LAGAKOS, Ph.D.**, Henry Pickering Walcott Professor and Chair Department of Biostatistics, Harvard School of Public Health, Boston, MA
- J. RICHARD LANDIS, Ph.D.**, Professor of Biostatistics and Director, Division of Biostatistics, Department of Biostatistics and Epidemiology, University of Pennsylvania School of Medicine
- GEORGE W. RUTHERFORD, III, M.D.**, Professor and Director, Institute for Global Health, University of California San Francisco School of Medicine
- CHARLES van der HORST, M.D.**, Professor of Medicine, University of North Carolina-Chapel Hill

STAFF

- ALICIA R. GABLE, M.P.H.**, Study Director
ALINA BACIU, M.P.H., Program Officer
RUTH KANTHULA, Senior Program Assistant
SANDRA HACKMAN, Copy Editor
ROSE MARIE MARTINEZ, Sc.D., Director, Board on Population Health and Public Health Practice

CONSULTANTS

NANCY CALLES, B.S.N., R.N., A.C.R.N., Baylor International Pediatric AIDS Initiative,
Baylor College of Medicine Houston, TX

TOMMY CLARK, Ph.D., University of California, San Francisco

DAVID W. FEIGAL, M.D., M.P.H., Arizona Biodesign Institute, Phoenix, AZ

VALERIE FLAHERMAN, M.D., M.P.H., University of California, San Francisco

MARGARET G. FERRIS, M.P.H., Baylor International Pediatric AIDS Initiative, Baylor
College of Medicine Houston, TX

THOMAS NEWMAN, M.D., M.P.H., University of California, San Francisco

LAURA SMEATON, M.S., Harvard School of Public Health, Boston, MA

unedited, uncorrected proofs

vi

REVIEWERS

This report has been reviewed in draft form by individuals chosen for their diverse perspectives and technical expertise, in accordance with procedures approved by the NRC's Report Review Committee. The purpose of this independent review is to provide candid and critical comments that will assist the institution in making its published report as sound as possible and to ensure that the report meets institutional standards for objectivity, evidence, and responsiveness to the study charge. The review comments and draft manuscript remain confidential to protect the integrity of the deliberative process. We wish to thank the following individuals for their review of this report:

SOLOMON BENATAR, M.D., University of Cape Town, South Africa
EDMUND V. CAPPARELLI, Pharm.D., University of California San Diego
HOUSEN COOVADIA, M.D., University of Kwazulu/Natal
SCOTT M. HAMMER, M.D., Columbia University, New York, NY
CAREL IJSSELMUIDEN, M.D., Council on Health Research for Development, Switzerland
KYUNG MANN KIM, Ph.D., University of Wisconsin, Madison
DEBRA LAPPIN, J.D., B&D Sagamore, Washington, DC
LISA RARICK, M.D., Gaithersburg, MD
PAUL VOLBERDING, M.D., University of California, San Francisco

Although the reviewers listed above have provided many constructive comments and suggestions, they were not asked to endorse the conclusions or recommendations nor did they see the final draft of the report before its release. The review of this report was overseen by **CHARLES C.J. CARPENTER, M.D.**, Brown University and **GIL OMENN, M.D., Ph.D.**, University of Michigan. Appointed by the National Research Council and Institute of Medicine, they were responsible for making certain that an independent examination of this report was carried out in accordance with institutional procedures and that all review comments were carefully considered. Responsibility for the final content of this report rests entirely with the authoring committee and the institution.

TABLE OF CONTENTS

EXECUTIVE SUMMARY	ERROR! BOOKMARK NOT DEFINED.
Reference List	Error! Bookmark not defined.
1 INTRODUCTION	ERROR! BOOKMARK NOT DEFINED.
Charge to the Committee	Error! Bookmark not defined.
Study Process	Error! Bookmark not defined.
Framing of the Committee’s Deliberation	Error! Bookmark not defined.
Reference List	Error! Bookmark not defined.
2 OVERVIEW OF HIVNET 012	ERROR! BOOKMARK NOT DEFINED.
Results	Error! Bookmark not defined.
Key Events During HIVNET 012	Error! Bookmark not defined.
Reference List	Error! Bookmark not defined.
3 STUDY DESIGN, TREATMENT ASSIGNMENT, AND ADHERENCE TO STUDY REGIMENS	ERROR! BOOKMARK NOT
Background	Error! Bookmark not defined.
Choice of Uganda as Study Site	Error! Bookmark not defined.
Choice of drug regimens	Error! Bookmark not defined.
Eligibility Criteria	Error! Bookmark not defined.
Design and Implementation of the Randomization Procedures	Error! Bookmark not defined.
Sample Size	Error! Bookmark not defined.
Statistical Methods	Error! Bookmark not defined.
Drug Management	Error! Bookmark not defined.
Drug Packaging and Handling before Enrollment	Error! Bookmark not defined.
Drug Handling after Enrollment and Dosing	Error! Bookmark not defined.
Reviews of Pharmacy Procedures	Error! Bookmark not defined.
Adherence	Error! Bookmark not defined.
Reference List	Error! Bookmark not defined.
4 EFFICACY AND SAFETY	ERROR! BOOKMARK NOT DEFINED.
Design of Efficacy and Safety Endpoints	Error! Bookmark not defined.
Primary Endpoints	Error! Bookmark not defined.
Study Implementation with Regard to the Endpoints	Error! Bookmark not defined.
Laboratory Data	Error! Bookmark not defined.
Identifying Serious Adverse Events	Error! Bookmark not defined.
Review of Record-Keeping at the HIVNET 012 Site	Error! Bookmark not defined.
Co-Enrollment Into a Vitamin A Study	Error! Bookmark not defined.
Impact of Flooding and Other Natural Phenomena on Study Records	Error! Bookmark not defined.
Committee’s Review of the Completeness and Accuracy of Efficacy and Safety Endpoints	Error! Bookmark
not defined.	
Methods of Committee’s Review	Error! Bookmark not defined.
Survival Status	Error! Bookmark not defined.
HIV-1 Status	Error! Bookmark not defined.
Capture of Adverse Events, Serious Adverse Events, and Hospitalizations	Error! Bookmark not defined.
Hyperbilirubinemia	Error! Bookmark not defined.
Appropriateness of toxicity tables	Error! Bookmark not defined.
Incidence of Hyperbilirubinemia in HIVNET 012	Error! Bookmark not defined.
Comparisons to Other Perinatal HIV Prevention Studies Using NVP and AZT	Error! Bookmark not defined.

unedited, uncorrected proofs

viii

Reference List	Error! Bookmark not defined.
5 REVIEW OF ETHICAL ISSUES	ERROR! BOOKMARK NOT DEFINED.
The Investigational New Drug Application	Error! Bookmark not defined.
Compliance with Requirements for Institutional Review Boards	Error! Bookmark not defined.
The Use of a Placebo Arm	Error! Bookmark not defined.
Compliance with Informed Consent	Error! Bookmark not defined.
Reference List	Error! Bookmark not defined.
6 RESPONSE TO THE CHARGE TO THE COMMITTEE	ERROR! BOOKMARK NOT DEFINED.
Findings Regarding the Study Design	Error! Bookmark not defined.
Findings Regarding the Implementation of the Study	Error! Bookmark not defined.
Findings Regarding Data Collection and Quality Control	Error! Bookmark not defined.
Findings Regarding the Study Conclusions	Error! Bookmark not defined.
Reference List	Error! Bookmark not defined.
APPENDIX A AGENDAS OF INFORMATION-GATHERING MEETINGS	ERROR! BOOKMARK NOT DEFINED.
Meeting One September 30, 2004	Error! Bookmark not defined.
Meeting Three January 4, 2005	Error! Bookmark not defined.
APPENDIX B COMPARISONS TO OTHER PERINATAL HIV PREVENTION STUDIES USING NVP AND AZT	ERROR! BOOKMARK NOT DEFINED.
Introduction	Error! Bookmark not defined.
Methods	Error! Bookmark not defined.
Criteria for considering studies for this review	Error! Bookmark not defined.
Identification of studies	Error! Bookmark not defined.
Statistical methods	Error! Bookmark not defined.
Results	Error! Bookmark not defined.
Nevirapine	Error! Bookmark not defined.
Zidovudine	Error! Bookmark not defined.
DISCUSSION	Error! Bookmark not defined.
References	Error! Bookmark not defined.
APPENDIX C COMMITTEE BIOGRAPHIES	ERROR! BOOKMARK NOT DEFINED.
Committee on Reviewing the HIVNET 012 Perinatal HIV Prevention Study	Error! Bookmark not defined.

Tables and Boxes

TABLE 2.1 Numbers (%ages) of infants with HIV-1 infection and HIV-1 infection or death at ages 1–3 days, 6–8 weeks, and 14–16 weeks, by study arm	Error! Bookmark not defined.
TABLE 2.2 Numbers (%ages) of infants with HIV-1 infection and HIV-1 infection or death at ages 12 and 18 months, by study arm	Error! Bookmark not defined.
TABLE 2.3 Numbers (%ages) of women and infants with adverse events, by study arm	Error! Bookmark not defined.
TABLE 2.4 HIVNET 012 timeline	Error! Bookmark not defined.
TABLE 3.5 Shipments of Study Drug	Error! Bookmark not defined.
TABLE 2.1 Numbers (%ages) of infants with HIV-1 infection and HIV-1 infection or death at ages 1–3 days, 6–8 weeks, and 14–16 weeks, by study arm	48
TABLE 2.2 Numbers (%ages) of infants with HIV-1 infection and HIV-1 infection or death at ages 12 and 18 months, by study arm	48
TABLE 2.3 Numbers (%ages) of women and infants with adverse events, by study arm	49
TABLE 2.4 HIVNET 012 timeline	49
TABLE 4.10 Serious Adverse Events in HIVNET 012 Infants	Error! Bookmark not defined.
TABLE 4.11 Serious Adverse Events in HIVNET 012 Mothers	Error! Bookmark not defined.
TABLE 4.12 Infant adverse events found only in the source documents	Error! Bookmark not defined.

unedited, uncorrected proofs

TABLE 4.13 Infant clinical serious adverse events found only in the source documents..... **Error! Bookmark not defined.**

TABLE B.14 Description and outcomes of included studies (NVP arms only)..... **Error! Bookmark not defined.**

TABLE B.15 Excluded studies (NVP arms) **Error! Bookmark not defined.**

TABLE B.16 Description and outcomes of included studies (zidovudine arms only) **Error! Bookmark not defined.**

TABLE B.17 Excluded studies (zidovudine-only arms) **Error! Bookmark not defined.**

BOX 1.1 Charge to the committee..... **Error! Bookmark not defined.**

FOREWORD

Mother-to-child transmission of HIV-1 afflicts hundreds of thousands of children every year, especially in parts of the world such as Sub-Saharan Africa where HIV infection is prevalent and resources are limited. This tragic reality has spurred researchers to search for an effective, safe, and inexpensive treatment that could reduce the risk of perinatal HIV transmission.

At a time when many countries had no affordable, easy to use options for preventing perinatal HIV transmission, the 1999 publication of preliminary results from the HIVNET 012 trial offered great hope. This study found that a short-course of oral nevirapine given to the mother during delivery and to the child after birth could substantially reduce the risk of mother-to-child transmission of HIV-1 infection. A number of countries in Africa and elsewhere subsequently adopted the HIVNET 012 regimen as the standard of care in their national perinatal HIV prevention programs.

Since the original publication and a second publication with more complete findings from HIVNET 012, questions have arisen in the scientific and medical communities and have been reported by the media about the conduct of the HIVNET 012 study. It was in this context that the Institute of Medicine was approached by the National Institutes of Health (NIH) to conduct an independent review of the HIVNET 012 trial.

The Institute of Medicine convened a panel of nine members who possess significant breadth and depth of expertise in pertinent fields, including clinical trials methodology, law, ethics and regulation, pediatric HIV/AIDS care, biostatistics, epidemiology, clinical treatment of HIV and prevention. The committee members were selected because they are leading authorities who could conduct an independent, rigorous assessment of the evidence. The committee's charge was to assess the scientific validity of the findings and conclusions of the HIVNET 012 trial, including a review of methodological and data interpretation questions, and aspects of protocol design, data collection, recordkeeping, quality control, and analysis.

The committee's report does not contain an evaluation of the National Institutes of Health, nor does it examine either NIH's handling of the HIVNET 012 trial or the process of research oversight at NIH. These important matters were never part of the task assigned to this committee. Simply put, their report presents the committee's best, evidence-based judgment about the scientific validity of the HIVNET 012 study findings and conclusions.

By conducting this independent scientific assessment of a controversial and consequential clinical trial, the committee and its staff have performed a valuable public service. Their report deserves to be read carefully by anyone who seeks to understand the scientific validity of the HIVNET 012 trial. More generally, the systematic approach taken by the committee serves as a model for critical, scientific review of any clinical trial.

Harvey V. Fineberg
President, Institute of Medicine

unedited, uncorrected proofs

xi

